

Work Order ID 59437

Friday, June 04, 2010 10:24:25 AM



Page 1

Item ID: D3953-3

Accept



Setup Start



Revision ID:

Stop



Item Name: Gas Spring Stud, Lid

Start Date: 6/4/2010 Start Qty: 20.00



Cust Item ID:

Required Date: 6/10/2010 Req'd Qty: 20.00



Customer:

Reference:

Approvals:

Process Plan:

Date: 10-6-04

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

Draw Nbr

Revision Nbr

D3953

C

100

0.00



Doosan

Memo

0.00

Doosan Lathe

Turn as per folio FA852 & DWG
FOLIO REV: N/A
DWG REV: C

SL 10/06/17

DEBURR

110

QC2- Inspect parts off machine FAI/FAIB

0.00



QC

Memo

0.00

Quality Control

SL 10/06/17

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 59437

Friday, June 04, 2010 10:24:26 AM



Page 2

Item ID: D3953-3

Accept



Setup Start



Revision ID:

Stop



Item Name: Gas Spring Stud, Lid

Start Date: 6/4/2010 Start Qty: 20.00



Cust Item ID:

Required Date: 6/10/2010 Req'd Qty: 20.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

120

QC8- Inspect parts - second check

0.00



QC

Memo

0.00

Quality Control

LF 10/06/17

20

✓

130

Identify as per dwg & Stock Location: 102

0.00



Packaging

Memo

0.00

Packaging

10-6-17

Doc sf

140

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

10/06/21

mr 10-6-18

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Friday, June 04, 2010 10:24:30 AM

Page 1

Work Order ID: 59437



Parent Item: D3953-3



Parent Item Name: Gas Spring Stud, Lid

Start Date: 6/4/2010

Required Date: 6/10/2010

Comments: IPP RevA: New issue DD verified by:EC
DD 10.03.02 verified by:EC

IPP Rev:B as per dwg revC

Start Qty: 20.00

Required Qty: 20.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304RO.750		Purchased	No			100	f	54.5947	0.125	2.631579			



304 SS Roundbar .750



Location

Loc Qty

Loc Code

MAT028

54.59473684

113216

20.3447368

113457

34.25

2.5 JL 10/06/17

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order:	59437
Description: Gas Spring Stud, Lid		Part Number:	D3953-3
Inspection Dwg: D3953	Rev: C	Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.75	+/-0.030	.750	✓			
0.56	+/-0.010	.561	✓			
0.281	+/-0.010	.282	✓			
1/4-28 UNF-2A	N/A	1/4-28 UNF	✓			
Major Ø	Max = 0.2490 Min = 0.2425	.244	✓			
M.O.W.	Max = 0.26687 Min = 0.26357	.264	✓			
Ø0.098	+0.004/-0.001	.099	✓			
Ø0.250	+/-0.010	.247	✓			
0.170	+/-0.010	.171	✓			
0.330	+/-0.010	.330	✓			
0.13	+/-0.030	.131	✓			
R0.06	+/-0.030	.06	✓			
1.31	+/-0.030	1.311	✓			

Measured by:	JL	Audited by:	BP	Prototype Approval:	N/A
Date:	10/06/17	Date:	10/06/17	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	09.10.22	New Issue	KJ	
B	09.12.14	Dwg Rev updated	KJ	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT

WITHOUT NOTICE
WORK ORDER
NO. 39437


BJ10604




D3953-1 GAS SPRING BRACKET
(FULL LID)




D3953-3 GAS SPRING STUD, LID




D3953-5 GAS SPRING STUD, BASE




D3953-7 GAS SPRING SPACER




D3953-9 GAS SPRING WASHER




D3953-11 GAS SPRING SPACER




D3953-13 GAS SPRING SPACER
(FULL LID)




D3953-15 GAS SPRING BRACKET
(SPLIT LID)



D3953-17 GAS SPRING SPACER
(SPLIT LID)



D3953-19 GAS SPRING BRACKET
(SQUARE BASKET)



D3953-21 GAS SPRING BRACKET
(SQUARE BASKET)

RELEASED
R 2010-02-26

C	PARTS -19 & -21 ADDED (SHT 1& 4); CSK CALLOUT WAS CHAM (C6-2, B6-3, C6-4); C SYMM WAS C SYM ABOUT (C7-2, C7-4); SECTION C-C REPOSITIONED TO B2-4 REASON: ADDL PARTS REQD; DRAFTING ERRORS	JPH	10.01.29
B	SHEET 3 ZONE C1, DIM 0.05 MIN WAS 0.13, MULTIPLE DIMENSIONS MIN/MAX REMOVED TOLERANCE ADDED, REASON: DIFFICULTY INSTALLING COTTER PIN AT NEXT ASSY.	AJS	09.11.11
A	NEW ISSUE	AJS	09.07.27
REV.	DESCRIPTION	BY	DATE
DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JPH		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. C
MFG. APPR.	<i>[Signature]</i>	D3953	SHEET 1 OF 4
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	GAS SPRING LID COMPONENTS	NTS
DATE	10.01.29	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


w/0 59437





D3953-1 GAS SPRING BRACKET
(FULL LID)




SECTION A-A C7-2



D3953-3 GAS SPRING STUD, LID



D3953-5 GAS SPRING STUD, BASE



- NOTES:
- 1) MATERIAL -1: 304/316 STAINLESS STEEL SHEET ANNEALED 2B FINISH, PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240 REF DART SPEC M304S11GA
 - 3 & -5: AISI 304 STAINLESS STEEL BAR REF DART SPEC M304B OR: AISI 304/316 STAINLESS STEEL ROD REF DART SPEC M304R
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3953-X" USING FINE POINT PERMANENT INK MARKER
 - 7) WEIGHT -1: 0.11 lbs
-3: 0.03 lbs
-5: 0.06 lbs

DESIGN	AJS	DART AEROSPACE LTD	
DRAWN	JPH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. C
MFG. APPR.	<i>[Signature]</i>	D3953	SHEET 2 OF 4
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	GAS SPRING LID COMPONENTS	NTS
DATE	10.01.29	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMING INTO ANY OTHER FORM WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED
N 2010-02-26



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____



Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			



NOTE: Date & initial all entries



D3953-7 GAS SPRING SPACER





D3953-9 GAS SPRING WASHER



SECTION B-B B7-3

D3953-11 GAS SPRING SPACER



D3953-13 GAS SPRING SPACER

NOTES:

1) MATERIAL -7, -9 & -11: DELRIN II 150E OR ACETRON GP ACETAL, BLACK
REF DART SPEC M-DELRIN-R

-13: AISI 304 STAINLESS STEEL BAR
REF DART SPEC M304B

- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION -13 ONLY: IDENTIFY WITH DART P/N "D3953-13" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT -7/-9/-11: < 0.01 lbs EACH
-13: 0.17 lbs

w/b 59437

RELEASED
2010-02-26

DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JPH		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV: C
MFG. APPR.	<i>[Signature]</i>	D3953	SHEET 3 OF 4
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	GAS SPRING LID COMPONENTS	NTS
DATE	10.01.29	<small>COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESSED CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR CORIED OR CHANGED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries




D3953-15 GAS SPRING BRACKET
(SPLIT LID)




D3953-17 GAS SPRING SPACER
(SPLIT LID)



D3953-19 GAS SPRING BRACKET
(SQUARE BASKET)



D3953-21 GAS SPRING BRACKET
(SQUARE BASKET)



SECTION C-C

NOTES:

1) MATERIAL -15/-19/-21: 304/316 STAINLESS STEEL SHEET ANNEALED 2B FINISH,
PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240
REF DART SPEC M304S11GA

-17: AISI 304 STAINLESS STEEL BAR
REF DART SPEC M304B

- 2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3953-X" USING FINE POINT PERMANENT INK MARKER
7) WEIGHT -15: 0.08 lbs
-17: 0.10 lbs
-19: 0.07 lbs
-21: 0.06 lbs

RELEASED
2010-02-26

DESIGN	AJS	DART AEROSPACE LTD	
DRAWN	JPH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. C
MFG. APPR.	<i>[Signature]</i>	D3953	SHEET 4 OF 4
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	GAS SPRING LID COMPONENTS	NTS
DATE	10.01.29	COPYRIGHT © 2009 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMBINED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries